EAST 09/489,817

L Number	Hits	Search Text	DB	Time stamp
-	1366	((network ADJ1 management\$1) OR SNMP) AND (history OR snap\$1shot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/30 19:35
_	410	((network ADJ1 management\$1) OR SNMP) AND (history OR snap\$1shot) AND (time\$1stamp OR (time ADJ1 stamp\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 12:30

See P5. 5

_	220	("4057847"	"4449182"	"4672535"	1	USPAT	2003/04/01 12:37
		"4692918"	"4695946"	"4707803"	1		
		"4769764"	"4774502"	"4835737"	İ		
		"4949245"	"4999787"	"5006961"	i		
		"5033048"	"5051720"	"5073932"	1		
		"5103391"	"5121500"	"5123017"	1		
			'		1		
		"5136708"	"5138619"	"5157663"	1		
		"5210855"	"5245615"	"5247683"	1		
		"5253348"	"5261094"	"5266838"	1		
		"5269011"	"5272382"	"5272584"			
		"5276863"	"5280621"	"5283905"	1		
		"5307354"	"5311451"	"5317693"	İ		
		"5329625"	"5337413"	"5351276"	ĺ		
		"5367670" i	"5379184"	"5379409"	İ		
		"5386567"	"5388267"	"5402431"	1		
		"5404494"	"5430845"	"5432715"	1		
					1		
		"5432946"	"5438678"	"5440748"	1		
		"5455933"	"5463766"	"5471617"	1		
		"5473499"	"5483419"	"5485550 <b>"</b>	1		
		"5485607"	"5487148"	"5491791"			
		"5493574"	"5493666"	"5513314"	1		
		"5517646"	"5526289"	"5528409"	1		
		"5535326"	"5546272"	"5548712"	1		
		"5555510"	"5559764"	"5559958"	1		
		"5559965"	"5564024"	"5566339"	i		
		"5568610"	"5568619"	"5572403"	i I		
1		"5577205"	"5579487"	"5572403   "5579491"	1		
					1		
		"5581712"	"5581714"	"5584030"	1		
		"5588144"	"5596711"	"5598407"	1		
		"5602758"	"5604873"	"5606672"	1		
		"5608876"	"5615207"	"5621159"	1		
		"5621892"	"5622221"	"5625238"	1		
		"5627962"	"5630076"	"5631847"	I		
		"5632021"	"5638289"	"5644470"	1		
		"5644731" i	"5651006"	"5652832"	İ		:
		"5652839"	"5652892"	"5652908"	1		
		"5655081"	"5655083"	"5655148"	<u>'</u>		
		"5659682"	"5664118"	"5664119"	1		
					1		
į		"5666538"	"5668992"	"5669009"	!		
		"5671371"	"5675723"	"5680288"	1		
		"5684671"	"5689637"	"5696899"			
		"5696949"	"5696970"	"5704031"			
		"5715456"	"5724529"	"5726506"	1		
,		"5727207"	"5732266"	"5737708"	1		
		"5740378"	"5742514"	"5742833"	1		
i		"5747889"	"5748426"		İ		
		"5754797"	"5758165"	"5758352"	i		1
		"5761033"	"5761045"		' 		
		"5761462"	"5764968"	"5765008"	! 		
		"5765198"			1 1		
			"5767844"		1		
		"5768542"	"5774741"	"5777897"	<u> </u>		
		"5778197"	"5781703"	"5781744"	Į.		
		"5781767"	"5781798"	"5784555"	I		
		"5784576"	"5787019"	"5787459"	1		
1	1	"5787491"	"5790775 <b>"</b>	"5790831"	1		
		<b>"</b> 5793987"	"5794035"	"5796185"	I		
		"5796580" i	"5796981"	"5797023"	1		
	1	"5798828"	"5799036"	"5799196"	1		
		"5801921"	"5802269"	"5802298"	i I		
		"5802305" i	"5802324"	"5802393"	i		
1		"5802552" i	"5802524 "5802592"	"5803357"	: 		
1		"5805834" I			! !		
1			"5809224"	"5809287"	I 1		
1		"5809311"	"5812748"	"5812750"	I		
1		"5812757"	"5812858"	"5815117"	Į.		
		"5815647"	"5815652"	"5821596"	I		
1		"5822547"	"5835719"	"5835738"	I		
		"5838932"	"5841991"	"5852720"	1		
1		"5852724"	"5857074"	"5857102"	1		
1		"5864653"	"5867730"	"5875307"	l		
1		"5875310" i	"5878237"	"5878238"	l .		
1		"5881311" i	"5884027"	"5889965"	i I		
1		"5892928" i	"5898888"	"5905867"	: 		
	<u> </u>				I <u>I</u>		
Search His	tory 4/	6/28 2:423	2 PM Page	2 3322000			
	IST\WOTES	1 "5936960"). aces\09-489-	rn. 517 wen				L
C. (AF £3 160	*?	**************************************	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				

-	3 84		USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/01 12:39 2003/04/01 13:17
_	6	(709/223,224,330,316.ccls. OR 714/20,31,47,57,718,723.ccls.) AND (re\$1construct\$4 WITH history)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 13:28
-	27	("5032979"   "5309448"   "5317742"   "5627886"   "5655081"   "5740432"   "5751933"   "5752247"   "5787437"   "5796633"   "5832518"   "5857190"   "5881315"   "5896440"   "5978475"   "5999179"   "5999978"   "6000045"   "6006016"   "6012095"   "6012152"   "6018567"   "6038563"   "6044407"   "6058420"   "6061723"   "6078649").PN.	USPAT	2003/04/01 13:20
_	117	((network NEAR1 (manage\$4 OR monitor\$3)) OR 709/223,224.ccls.) AND (reconstruct\$3 WITH time) AND ((log\$3 NOT logic) OR snap\$1shot\$3 OR database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 14:03
-	3	((forward\$3 OR rout\$3) ADJ table\$1) SAME (link ADJ1 status) SAME time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 14:06
-	9	((forward\$3 OR rout\$3) ADJ table\$1) SAME (link WITH status) SAME time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 14:08
,	232	((log\$3 not logic) OR database\$1 OR table\$1) SAME (link WITH status) SAME (time OR time\$1stamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 14:25
-	204	<pre>(network WITH (collect\$3 OR gather\$3)) AND   ((reconstruct\$4 OR regenerat\$3 OR   rebuild\$3 OR assembl\$3 OR reassembl\$3) WITH time) AND ( ((log\$3 NOT logic) OR   table\$1 OR database\$1 OR db\$1) SAME link AND (status OR change) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:48
***	2684	(network\$1 WITH simulat\$4) AND (table\$1 OR dabase\$1 OR (log\$3 NOT logic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 14:50
_	1179	<pre>(network\$1 WITH simulat\$4) AND ((table\$1 OR dabase\$1 OR (log\$3 NOT logic)) SAME (time OR time\$1stamp\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 16:01
-	31	<pre>(network\$1 WITH simulat\$4) AND ((table\$1 OR database\$1 OR (log\$3 NOT logic)) SAME (time OR time\$1stamp\$1) SAME status SAME change)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 16:01
_	261	<pre>(network\$1 WITH simulat\$4) AND ((table\$1 OR database\$1 OR (log\$3 NOT logic)) SAME (time OR time\$1stamp\$1) SAME ((rout\$4 NOT routine) OR forward\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/01 16:06
_	4	("4688181"   "5049873"   "5086385"   "5136690").PN.	USPĀT	2003/04/01 16:06
	7 132	5437009.URPN. 5049873.URPN.	USPAT USPAT	2003/04/01 16:08 2003/04/01 16:28

•				
-	182	AND poll\$3 AND play\$1back AND (tim\$3 OR	USPAT	2003/04/02 08:46
-	3868	<pre>time\$1stamp\$1) (network\$1 WITH (topolog\$3 OR diagram\$1)) AND poll\$3 (time\$1stamp\$1 OR (time ADJ1 stamp\$1)) AND (snap\$1shot OR (snap ADJ1</pre>	USPAT	2003/04/01 17:07
-	66	shot))   (network\$1 WITH (topolog\$3 OR diagram\$1))   AND poll\$3 AND (time\$1stamp\$1 OR (time   ADJ1 stamp\$1)) AND ((reconstruct\$4 OR	USPAT	2003/04/01 17:12
-	29	regenerat\$3 OR rebuild\$3 OR reassembl\$3) WITH time) (network\$1 WITH (topolog\$3 OR diagram\$1)) AND ((time\$1stamp\$1 OR (time ADJ1	USPAT	2003/04/02 10:59
		stamp\$1)) WITH (database\$1 OR db\$1 OR table\$1 OR log\$1)) AND ((reconstruct\$4 OR regenerat\$3 OR rebuild\$3 OR reassembl\$3) WITH time)		
	146	<pre>(network\$1 NEAR1 topolog\$3) AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))</pre>	USPAT	2003/04/02 09:02
_	29	709/223,224,330,316.ccls. AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))	USPAT	2003/04/02 09:10
_	6	(network ADJ1 simulat\$4) AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))	USPAT	2003/04/02 09:30
-	10	((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1)) SAME (archiv\$3 OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3	USPAT	2003/04/02 09:33
-	205	OR reassembl\$3) (((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))) AND (archiv\$3 OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3	USPAT	2003/04/02 09:33
-	516	OR reassembl\$3) (monitor\$3 WITH topology) AND time	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:01
_	69	<pre>(monitor\$3 WITH topology) AND time AND (((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:34
-	11	((monitor\$3 OR management) WITH topolog\$3) AND (((rout\$3 NOT routine) OR forward\$3) WITH converge\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:36
-	160	((monitor\$3 OR management) WITH topolog\$3) AND (time SAME (play OR play\$1back OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3 OR reassembl\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 10:39
_	21	("5251152"   "5347269"   "5384565"   "5446874"   "5634008"   "5634009"   "5675727"   "5699403"   "5796633"   "5831428"   "5850386"   "5944782"   "5963943"   "5991758"   "6081692"   "6122664"   "6182157"   "6275783"   "6327620"   "6327677"   "6381306").PN.	USPAT	2003/04/02 10:44
-	0 2	6453346.URPN. 6327677.pn.	USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 10:54 2003/04/02 10:59

=	15	("5450406"   "5491791"   "5513126"	USPAT	2003/04/02 10:59
		"5586254"   "5616904"   "5619656"		
		"5696486"   "5699403"   "5752062"     "5799154"   "5819028"   "5850388"		
		"5974237"   "5974457"   "5991881").PN.		
_ /	1	6327677.URPN.	USPAT	2003/04/02 11:01
_	53391	(reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1	USPAT;	2004/03/29 17:44
		together\$1) OR rebuild\$3 OR recreat\$3)	US-PGPUB;	
İ		WITH ((operation\$3 OR alarm\$1 or event\$1	EPO; JPO;	
		OR (routing OR route\$1) ADJ1 (table\$1 OR	DERWENT;	
	11016	map\$1)))	IBM_TDB	0004/02/00 17 45
_	11816	(reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1	USPAT; US-PGPUB;	2004/03/29 17:45
		together\$1) OR rebuild\$3 OR recreat\$3) WITH ((operation\$3 OR alarm\$1 or event\$1	EPO; JPO;	
		OR (routing OR route\$1) ADJ1 (table\$1 OR	DERWENT;	
		map\$1)) ) SAME tim\$3	IBM TDB	
_	11773	( (reconstruct\$3 OR build\$3 OR (piec\$3	USPĀT;	2004/03/29 17:45
		ADJ1 together\$1) OR rebuild\$3 OR	US-PGPUB;	
		recreat\$3) WITH (operation\$3 OR alarm\$1 or	EPO; JPO;	
		event\$1) SAME tim\$3)	DERWENT;	
_	539	( (reconstruct\$3 OR build\$3 OR (piec\$3	IBM_TDB USPAT;	2004/03/29 17:48
-	339	ADJ1 together\$1) OR rebuild\$3 OR (piec\$3	US-PGPUB;	2004/03/25 17:48
		recreat\$3) WITH (operation\$3 OR alarm\$1 or	EPO; JPO;	
		event\$1) SAME tim\$3) AND (((forward\$3 OR	DERWENT;	
		routing OR route\$1) ADJ1 (table\$1 OR	IBM_TDB	
	/	map\$1)) OR (status NEAR2 change\$1))		0004/00/55 55 55
_	<b>✓</b> 240		USPAT;	2004/03/29 18:01
		ADJ1 together\$1) OR rebuild\$3 OR	US-PGPUB; EPO; JPO;	
		recreat\$3) WITH (operation\$3 OR alarm\$1 or event\$1) SAME tim\$3) AND (((forward\$3 OR	DERWENT;	
		routing OR route\$1) ADJ1 (table\$1 OR	IBM TDB	
		map\$1)) OR (status NEAR2 change\$1))) AND		
		(714/\$6.ccls. OR 707/\$6.ccls. OR		
	,	370/\$6.ccls. OR 340/\$6.ccls. OR		
		709/\$6.ccls.)	HCDam	2004/02/20 17:50
-	4	("5987247"   "6098047"   "6332130"   "6393386").PN.	USPAT	2004/03/29 17:52
-	255	((display\$3 OR visual\$3) WITH tim\$3) AND	USPAT;	2004/03/29 18:20
		(network\$1 SAME (snap\$1shot\$3 OR (snap\$1	US-PGPUB;	
		ADJ1 shot\$3)) )	EPO; JPO;	
			DERWENT;	
	<b>✓</b> 125	///displayed2 OD	IBM_TDB	0004/00/00 10 00
-	125	(((display\$3 OR visual\$3) WITH tim\$3) AND (network\$1 SAME (snap\$1shot\$3 OR (snap\$1	USPAT; US-PGPUB;	2004/03/29 18:28
		ADJ1 shot\$3)) )) AND (714/\$6.ccls. OR	EPO; JPO;	
1		707/\$6.ccls. OR 370/\$6.ccls. OR	DERWENT;	
		240/661- OR 700/661- )	IBM TDB	
-	/ 30	("4471348"   "5276789"   "5295244"	USPĀT	2004/03/29 18:07
		"5349662"   "5471616"   "5559955"		
		"5570326"   "5659768"   "5751965"		
		"5768552"   "5793974"   "5850386"     "5850388"   "5878420"   "6054987"		
		"6065138"   "6104392"   "6122639"		
		"6144987"   "6219708"   "6252947"		
1		"6269447"   "6271845"   "6279037"		
		"6281790"   "6289368"   "6295527"		
		"6304262"   "6308148"   "6327620").PN.		
-	1 7	("5276789"   "5295244"   "5436909"	USPAT	2004/03/29 18:11
		"5452415"   "5559955"   "5751965"     "5793974").PN.		
_	426	"5/939/4").PN.   (network\$1 WITH (snap\$1shot\$3 OR (snap\$1	USPAT;	2004/03/29 18:20
	420	ADJ1 shot\$3)))	US-PGPUB;	2004/03/29 10:20
			EPO; JPO;	
			DERWENT;	
	,		IBM_TDB	
-	<b>J</b> 226	((network\$1 WITH (snap\$1shot\$3 OR (snap\$1	USPĀT;	2004/03/29 18:32
		ADJ1 shot\$3)) )) AND (714/\$6.ccls. OR	US-PGPUB;	
1		707/\$6.ccls. OR 370/\$6.ccls. OR 340/\$6.ccls. OR 709/\$6.ccls.)	EPO; JPO; DERWENT;	
		340/90.CCIS. ON /03/90.CCIS.)	IBM TDB	
<u> </u>	<u> </u>		ממו_המד	L

_	11552	(play\$3 OR play\$3back\$1) WITH network\$1	USPAT; US-PGPUB;	2004/03/29 18:28
			EPO; JPO; DERWENT; IBM TDB	
_	2956	(play\$3 OR play\$3back\$1) WITH network\$1 SAME tim\$3	USPĀT; US-PGPUB;	2004/03/29 18:29
			EPO; JPO; DERWENT; IBM TDB	
-	734	WITH network\$1 SAME tim\$3) AND (network	USPĀT; US-PGPUB;	2004/03/29 18:38
		NEAR2 (monitor\$3 OR operation\$1 OR management\$1 OR fault\$1 OR alarm\$1 OR event\$1))	EPO; JPO; DERWENT; IBM TDB	
_	<b>✓</b> 336	((play\$3 OR play\$3back\$1 OR re\$1play\$3) WITH network\$1 WITH tim\$3) AND (network	USPAT; US-PGPUB;	2004/03/29 18:32
		<pre>NEAR2 (monitor\$3 OR operation\$1 OR management\$1 OR fault\$1 OR alarm\$1 OR event\$1))</pre>	EPO; JPO; DERWENT;	
_	129	((play\$3 OR play\$3back\$1 OR re\$1play\$3) WITH network\$1 SAME tim\$3 SAME (display\$3	IBM_TDB USPAT; US-PGPUB;	2004/03/29 18:39
		OR visual\$5 OR graph\$4)) AND (network\$1 NEAR2 (monitor\$3 OR operation\$1 OR management\$1 OR fault\$1 OR alarm\$1 OR	EPO; JPO; DERWENT; IBM TDB	
-	/ 2	event\$1))	USPAT;	2004/03/30 19:37
			US-PGPUB; EPO; JPO; DERWENT;	
-	V 25	((rout\$3 NOT routine) OR forward\$3) NEAR2 (table\$1 OR map\$1) SAME ((snap ADJ1	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:42
		shot\$1) OR snap\$1shot\$1)	EPO; JPO; DERWENT;	
-	3904	((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) SAME (sav\$3 OR stor\$3)	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:43
		(00021071 01 110271) 01112 (000770 01 000270)	EPO; JPO; DERWENT;	
_	2721	((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3)	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:43
		•	EPO; JPO; DERWENT;	
-	937	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3))	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:43
		AND monitor\$3	EPO; JPO; DERWENT;	
_	847	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3))	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:43
		AND monitor\$3 AND network\$1	EPO; JPO; DERWENT; IBM TDB	
_	<b>✓</b> 327	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3))	USPĀT; US-PGPUB;	2004/03/30 19:54
		AND (monitor\$3 WITH network\$1)	EPO; JPO; DERWENT; IBM TDB	
-	/ 144	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1)) SAME ((re\$1build\$3 OR	USPĀT; US-PGPUB;	2004/03/30 20:02
		build\$3) WITH network\$1) .	EPO; JPO; DERWENT; IBM TDB	
-	278	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1)) AND 709/223-224.ccls.	USPAT; US-PGPUB;	2004/03/30 20:04
			EPO; JPO; DERWENT; IBM_TDB	

<u> </u>				
-	<b>/</b> 150	(((rout\$3 NOT routine) OR forward\$3) ADJ2	USPAT;	2004/03/30 20:05
		(table\$1 OR map\$1)) AND 709/224.ccls.	US-PGPUB;	
			EPO; JPO;	.
			DERWENT;	
			IBM TDB	